



ATV Advanced Tactical Vest

+CARRIERS+

▪ **ATV ADVANCED TACTICAL VEST**

COLORS AVAILABLE: Black Coyote Brown Olive Drab
 Ranger Grey Multi Cam

West Armor Advanced Tactical Vest ATV is made of high quality polyester micro-denier with a soil resistant finish

- Full MOLLE webbing; front and back
- Front and rear external plate pockets
- Velcro patch in front and back
- Reinforced drag strap for emergency extraction
- Waist and shoulder size adjustment. Flexibility and low weight. Cumberbund load distribution for comfort
- 5 Years warranty on ballistics panels
- Standard sizes on all vests and carriers: Small, Medium, Large, Extra Large

BALLISTIC CAPABILITIES

Level IIIA
.357 SIG (125gr FMJ) 1775 ft/s
.44 Mag (240gr JHP) 1646 ft/s

AERIAL DENSITY

1.12 lbs./ Sq.ft.

NIJ STATISTICS

Series	AFC
Brand	Telenet Tactical
NIJ Model	AFC T3A 525
NIJ Threat Level	IIIA
NIJ Certification Sizes	C1-C5
Ballistic Material	Kevlar XP / Twaron



TEIJIN





ATV Advanced Tactical Vest

+CARRIERS+

▪ **ATV CHALECO TACTICO AVANZADO**

COLORES : Negro Marron Oliva Multi Cam
 Gris

El chaleco táctico avanzado de West Armor esta hecho de poliéster de micro denier de la mas alta calidad con recubrimiento para evitar manchas y malos olores.

- Completamente recubierto de MOLLE en la parte delantera y posterior
- Bolsillos delanteros y traseros para placas balísticas
- Superficies de velcro en las partes delanteras y traseras
- Asa extracción de hombro caído completamente reforzada
- Ajustable en los hombros y cintura. Flexible y de bajo peso. Sistema de distribución de peso tipo Cummerbund.
- 5 años de garantía en los paneles balísticos
- Tallas disponibles: Pequeño, Mediano, Grande, Extra Grande

CARACTERISTICAS BALISTICAS

Level IIIA
.357 SIG (125gr FMJ) 1775 ft/s
.44 Mag (240gr JHP) 1646 ft/s

DENSIDAD AEREA

1.12 lbs./ Sq.ft.

DATOS NIJ

Serie	AFC
Marca	Telenet Tactical
NIJ Modelo	AFC T3A 525
NIJ Nivel Proteccion	IIIA
NIJ Tallas Certificadas	C1-C5
Material Balistico	Aramida



TEIJIN





U.S. Department of Justice

Office of Justice Programs

National Institute of Justice

Washington, D.C. 20530

March 24, 2016



Notice of Compliance with NIJ Standard–0101.06
Body Armor Model Designation: AFC-T3A-525
NIJ Compliance Status Expires: March 24, 2021

We have completed our evaluation of the body armor model identified above that was submitted to the National Institute of Justice's (NIJ's) Voluntary Body Armor Compliance Testing Program. We are pleased to inform you that the above body armor model satisfies the requirements of NIJ Standard–0101.06 and the Compliance Testing Program.

We also received your completed declaration concerning the model noted above and your agreement to participate in the conformity assessment follow-up process.

The body armor model details are listed on the NIJ Compliant Products List available at www.justnet.org/CTP.

You are now authorized to place the NIJ Statement of Compliance on the labels of this body armor model and all subsequent production units. The Statement of Compliance shall read:

"This model of armor has been determined to comply with NIJ Standard–0101.06 by the NIJ Compliance Testing Program and is listed on the NIJ Compliant Products List."

All compliance requirements, as identified by the *NIJ Body Armor Compliance Testing Program Administrative Manual* and the *Ballistic Body Armor Applicant Package*, must be maintained as long as the NIJ Statement of Compliance is displayed on this armor model's labels. If, at any time, the compliance status of this armor model is changed, the NIJ Statement of Compliance shall cease to be used as of the date of the status change.

Sincerely,

Michael K. O'Shea
Senior Law Enforcement Program Manager
US Department of Justice
OJP/NIJ/OST/Operational Technologies Division





ATV Advanced Tactical Vest

BALLISTIC SPECIFICATION

SERIES	AFC
NIJ MODEL #	AFC – T3A - 525
NIJ THREAT LEVEL	IIIA
NIJ CERTIFICATION SIZES	C1 – C5
BALLISTIC MATERIAL	Kevlar XP
WEIGHT	1.12 psf
THINNESS	.32 in
V50 – 357sig 125gr TMJ (new)	1775 ft/s
P-BFS Avg. – 357sig 125gr TMJ	26.7 mm
V50 – 44mag 240gr JHP (new)	1646 ft/s
P-BFS Avg. – 44mag 240gr JHP	35.8 mm
SPECIAL THREAT TESTING	
V50 - 2gr RCC	3145 fps
V50 - 4gr RCC	2857 fps
V50 - 16gr RCC	2320 fps
V50 - 64gr RCC	1891 fps